

November 27, 2006

210 N. Park Ave.

Winter Park, FL

32789

P.O. Drawer 200 Winter Park, FL 32790-0200

Tel: 407-740-8575

Fax: 407-740-0613 tmi@tminc.com Mr. Charles Terreni

Chief Clerk

South Carolina Public Service Commission

111 Doctors Circle

Columbia, South Carolina 29203

Via Overnight Delivery



RE: Docket No.1993-134-C - AmeriVision Communications, Inc.

**Proof of Publication** 

Dear Mr. Terreni:

Enclosed for filing is the original proof of publication in The State Newspaper of the above-referenced docket for AmeriVision Communications, Inc. Please acknowledge receipt of this filing by returning, file-stamped, the extra copy of this cover letter in the self-addressed stamped envelope enclosed for that purpose.

Any questions regarding this filing or the publication may be directed to me or Thomas M. Forte, the consultant for AmeriVision Communications, Inc., at (407) 740-8575.

Sincerely,

Nicole Wade

Administrative Assistant

**Enclosures** 

cc:

Kelly Franks - AmeriVision

file:

AmeriVision - SC

PUBLIC BERVICE COMMISSION OF SOUTH CAROLINA DOCKETING DEPARAZINT NOTICE OF

DOCKET NO. 1993-134-C AmeriVision Communica-

tions, Inc. (the "Applision of South Carolina ("Commission") request for approval of a name change. The Applicant requests that the Commission approve

the use of the assumed name of AmeriVision Communications, Inc. Communications, Inc. d/b/a Affinity 4. AmeriVision Communications. inc. became certified to operate as a reseller of operate as a reselver of interexchange services in the State of South Car-olina on November 1, 1993 (Order No. 1993-

A copy of the Application is on file in the offices of the Commission, 101 the Commission, 101
Executive Center Drive,
Columbia, South Carolina 29210, the Commisslon's website at
www.psc.sc.gov, and is
available from Thomas
A Factor Consultant M. Forte, Consultant, Technologies Manage-ment, Inc., P.O. Drawer 200, Winter Park, Florida 32790.

A public hearing, if scheduled, will be held in Columbia, South Carolina in the offices of the Commission at the above address, for the purpose of receiving teetimony

iny person who wishes to participate in this matter, as a party of record with the right of crossexamination should file a Petition to Intervene in accordance with the Commission's Rules of Practice and Procedure on or before December 14, 2006 and indicate the amount of time required. for his presentation. Please include an email Please sticture an emission correspondence in the Petition bubscribed and sworn to before me to intervene. Please refer to Docket No. 1993-

Any person who wishes to testify and present evidence at the hearing, it scheduled, should notify the Docketing Department in writing at the address below, the Office of Regulatory Staff at Post Office Box 11263, Columbia, South Caroli-na 29211, and Thomas the above address of ory commission expires before pecember 14, arch 10, 2013 amount of time required for the account.

for his presentation. Please refer to Docket No. 1993-134-C

## THE STATE-RECORD CO., INC.

Columbia, South Carolina publisher of

The State

## STATE OF SOUTH CAROLINA COUNTY OF RICHLAND

Any person who wishes Person with white the hear-life of the h

so by notifying the Docketing Department in writing at the address below cket 1993-134-C — AmeriVision Communications 13, 2008. Please refer to

Decket No. 1993-134-C.
PLEASE TAKE NOTICE:
Any person who wishes
to have his or her comof the official record of this proceeding MUST present such comments in person, to the Com-

was in m the Cit Persons seeking infor-mation about the Com-mission's Procedures should contact the Com-

Novem mission at (803) 896 Public Service Commission of South Carolina

Docketing Department Post Office **Drawer** 11649 Columbia, South Carolina 29211

How during the hear STATE, a daily newspaper of general circulation published in State and County aforesaid, in the issues of

Peggy Lawrence

November 17, 2006

**Notary Public** 

"Errors- the liability of the publisher on account of errors in or omissions from any advertisement will in no way exceed the amount of the charge for the space occupied by the item in error, and then only for the first incorrect insertion."